

展馆A区技术参数 Technical Data of Area A

展厅 Exhibition Hall	1.1、2.1、3.1、4.1、5.1	6.1、7.1、8.1	1.2、2.2、3.2、4.2、5.2
展厅标高 (米) Elevation(M)	±0.00	±0.00	16.00
主入口 (米: 宽×高) Entrance(M:Width*Height)		8.5X5.5	
展厅尺寸 (米) Size(M)	125.1×84.5	6.1、8.1馆: 106.8×84.5; 7.1馆: 38.5×84.5	125.1×83.7
展厅面积 (平方米) Rental Area(M ²)	10490	6.1、8.1馆: 8950; 7.1馆: 3250	10470
可搭标摊数 (个) Standard Booths	575	6.1、8.1馆: 496; 7.1馆:158	595
展厅净高 (米) Clear Height (M)	13	11.65~15.16	8.89~19
可搭建高度 (米) Stand Construction Permits	一层结构展位限6米, 二层结构展位限8米 The maximum heights of single-storey stands and two-storey stands are 6 m and 8m respectively.		
地面承重 (吨/平方米) Loading Capacity (T/M ²)	5	5	1.35
供电方式 Power Supply	3相5线制, 380V/220V/50Hz 3-Phase5-Line,380V/220V/50Hz		
电量 (千瓦) Power (KW)	2250	6.1、8.1馆: 2250 7.1馆: 800	2250
供水设备 Water Supply	有 Available	有 Available	-
展厅亮度 Lighting	250LX		
货运方式 Exhibits Transportation	专用货车道到达各展厅 Each hall has designed vehicle access		
消防设备 Fire-extinguishing	火灾自动报警系统、固定式自动灭火系统、消防栓系统、手提式灭火器 Automatic fire alarm, fixed automatic fire-extinguishing system, fire hydrants, and portable fire extinguisher		
电话 Telephone	市内、国内、国际 Local、DDD、IDD		
宽带 Broadband	无线宽带网、有线宽带网 Wireless broadband network, Cable broadband network		



展馆B区技术参数 Technical Data of Area B

展厅 Exhibition Hall	9.1、10.1、11.1	12.1	13.1	9.2、10.2、11.2	12.2	13.2	9.3、10.3、11.3
展厅标高(米) Elevation(M)	-6	-6	-6	+5	+5	+5	+16
主入口(米) Entrance(M)	7.6x5.3	7.6x5.3	7.6x5.3	7.6x5.3	7.6x5.3	7.6x5.3	7.6x5.3
展厅尺寸(米) Size(M)	115.5x85	106.5x85	106.5x85	115.5x85	106.5x85	106.5x85	115.5x85
展厅面积(平方米) Rental Area(M ²)	9820	9050	9050	9820	9050	9050	9820
可搭标摊数(个) Standard Booths	540+8	426	476	545+6	450	485	563+11
柱网尺寸(米) Pillar Net Size(M)	18x30	18x15	18x30	18x30	18x15	18x30	36x30
展厅净高(米) Clear Height(M)	9.0, 两侧局部位置7.8米 9.0M, 7.8M for some parts on both sides of the hall						12-18米 12-18M
可搭建高度(米) Stand Construction Permits	展位限高6米 The maximum height of stand structure is 6m						
地面承重(吨/平方米) Loading Capacity (T/M ²)	5	5	5	1.35	1.35	1.35	1.35
展厅天花吊顶 Ceiling Hanging	有, 吊钩最大承重50KG Available, max load 50KG						
供电方式 Power Supply	3相5线制, 380V/220V/50Hz 3-Phase5-Line,380V/220V/50Hz						
电量(千瓦) Power (KW)	1440						
供水设备 Water Supply	有 Available						
展厅亮度 Lighting	180LX			200LX			
货运方式 Exhibits Transportation	专用货车道到达各展厅 Each hall has designed vehicle access						
消防设备 Fire-extinguishing	自动报警系统、室内外消火栓系统、大空间智能灭火系统、智能疏散系统、自动水喷淋系统、气体灭火系统、机械排烟和电动排烟窗系统 Automatic fire alarms, indoor and outdoor fire hydrants, intelligent fire extinguishing system for large space building, intelligent evacuating system, sprinkler system, gas fire extinguishing system, medical smoke exhaust and electronically smoke exhaust systems.						
电话 Telephone	市内电话, 可开通国内、港澳台和国际长途 Local、DDD、IDD						
宽带 Broadband	无线宽带网、有线宽带网 Wireless broadband network, Cable broadband network						



展馆C区技术参数 Technical Data of Area C

展厅 Exhibition Hall	14.1、15.1	14.2、15.2、16.2	14.3、15.3、16.3	14.4、15.4、16.4
展厅标高(米) Elevation(M)	± 0.00	+11.40	+22.80	+34.20
主入口(米) Entrance(M)	6.98 × 4.19	6.98 × 4.19	6.98 × 4.19	14.4、15.4为6.98 × 2.58; 16.4为6.98 × 2.48
展厅尺寸(米) Size(M)	88.2 × 81	88.2 × 81	88.2 × 81	88.2 × 81
展厅面积(平方米) Rental Area(M ²)	7150	7150	7150	7150
可搭标摊数(个) Standard Booths	372	372	372	372
柱网尺寸(米) Pillar Net Size(M)	18 × 27	18 × 27	18 × 27	18 × 27
展厅净高(米) Clear Height(M)	9	9	9	7
可搭建高度(米) Stand Construction Permits	展位限高6米 The maximum height of stand structure is 6m			
地面承重(吨/平方米) Loading Capacity (T/M ²)	5	1	1	1
供电方式 Power Supply	3相5线制, 380V/220V/50Hz 3-Phase5-Line,380V/220V/50Hz			
电量 (千瓦) Power (KW)	1400			
供水设备 Water Supply	有 Available			
展厅亮度 Lighting	300LX			
货运方式 Exhibits Transportation	每展厅9台货梯 (5T), 规格3.7米 (长) × 2.3米 (宽) × 2.65米 (高) 9 cargo lifts in each hall,dimension:3.7m(L) × 2.3m(W) × 2.65m(H)			
消防设备 Fire-extinguishing	自动报警系统、室内外消火栓系统、大空间智能灭火系统、智能疏散系统、自动水喷淋系统、气体灭火系统和电动排烟窗系统 Automatic fire alarms,Indoor and outdoor fire hydrants,Intelligent fire extinguishing system for large space building,Intelligent evacuating system,Sprinkler system,Gas fire extinguishing system and electronically smoke exhaust systems.			
电话 Telephone	市内电话, 可开通国内、港澳台和国际长途 Local,DDD,IDD			
宽带 Broadband	无线宽带网、有线宽带网 Wireless broadband network,Cable broadband network			



会议配套设施

用途	位置	名称	形式	容纳人数	面积 (M ²)	长/宽 (M)	高 (M)	配置
洽谈室	AB区 夹层	小型	办公	/	14~21	/	/	办公桌、办公椅、文件柜
		中型		/	21~30	/	/	办公桌、办公椅、文件柜
	A区 一层	洽谈室 1		44 人	100	7*14.3	4.8	/
		洽谈室 2		44 人	100	7*14.3	4.8	/
会议室	A区	2A	课堂	96 人	160	14.6x11	2.4	空调、音响、2 支麦克风、1 张签到台、2 张签到椅子
	B区	1#	课堂	198 人 (其中主席台 9 人)	272	14.8x18.4	3.2	空调、音响、198 支座位麦克风、1 张签到台、2 张签到椅子、1 张讲台
		2#	阶梯	136 人 (其中主席台 9 人)	204	14.8x13.8	3.2	空调、音响、10 支座位麦克风、1 张签到台、2 张签到椅子、1 张讲台
		3#	圆桌	46 人	117	13x9	2.9	茶水、空调、音响、16 支座位麦克风、1 张签到台、2 张签到椅子
		5#-6#	剧院	93 人 (其中主席台 4 人)	89	10.6x8.4	3.2	空调、音响、5 支座位麦克风、1 张签到台、2 张签到椅子、1 张讲台
用途	位置	名称	形式	容纳人数	面积 (M ²)	长/宽 (M)	高 (M)	配置
会议室	B区	9#-12#	剧院	64 人 (其中主席台 4 人)	61	8.4x7.3	2.5	空调、音响、2 支麦克风、1 张签到台、2 张签到椅子
		13#-16#	圆桌	14 人	40	7.9x5.1	2.5	茶水、空调、音响、14 支座位麦克风、1 张签到台、2 张签到椅子
	C区	1#	圆桌	16 人	90	10.2x8.8	3.5	茶水、空调、音响、2 支麦克风、1 张签

								到台、2张签到椅子
		2#	圆桌	33人	90	10.2x8.8	3.5	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子
	C区	3#	圆桌	24人	90	10.2x8.8	3	茶水、空调、音响、2支座位麦克风、1张签到台、2张签到椅子
		4#	课堂	64人 (其中主席台4人)	143	16.3x8.8	3	空调、音响、2支座位麦克风、1张签到台、2张签到椅子
多功能区	A区珠江散步道多功能区	1#	课堂	80人	256	22.8*11.3	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		2#	课堂	80人	256	22.8*11	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
用途	位置	名称	形式	容纳人数	面积 (M ²)	长/宽 (M)	高 (M)	配置
多功能区	A区珠江散步道多功能区	3#	课堂	112人	240	16*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		3#A	课堂	42人	120	8*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		3#B	课堂	42人	120	8*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台(无独立门口)
		4#	课堂	112人	240	16*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台

		4#A	课堂	42人	120	8*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台（无独立门口）
		4#B	课堂	42人	120	8*15	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		5#	课堂	80人	256	22.8*11	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		6#	课堂	80人	256	22.8*11	5.0	基础桌椅、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
	B区	8#	课堂	课堂式 672人 纯椅子 1040人	1002	34.8x28.8	5.5	空调、音响、2支麦克风、签到柜台、1张签到台、2张签到椅子、1张讲台
		8#南厅	课堂	课堂式 160人 纯椅子 200人	245	8.5x28.8	/	空调、音响、2支麦克风、签到柜台、1张签到台、2张签到椅子
用途	位置	名称	形式	容纳人数	面积 (M²)	长/宽 (M)	高 (M)	配置
多功能区	B区	8#北厅	课堂	课堂式 512人 纯椅子 576人	757	26.3x28.8	/	空调、音响、2支麦克风、签到柜台、1张签到台、2张签到椅子、1张讲台
		17#	课堂	32人	115	8.5*13.5	4.0	基础桌椅等家具、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		18#	课堂	32人	120	9*13	4.0	基础桌椅等家具、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
		19#	课堂	32人	120	9*13	4.0	基础桌椅等家具、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台

		20#	课堂	32人	115	8.5*13.5	4.0	基础桌椅等家具、空调、音响、2只麦克风、1张签到台、2张签到椅、1张讲台
贵宾室	B区	牡丹	接见室	24人	212	14.9x14.2	3.2	茶水、空调、音响(接见室)、2支麦克风(接见室)、1张签到台、2张签到椅子
			休息室	11人	134	14.6x9.2		
		红棉	沙发	12人	外 36	5.2x7	3.5	茶水、空调、1张签到台、2张签到椅子
					内 53	7.6x7		
		紫荆	沙发	12人	外 36	5.2x7	3.2	茶水、空调、1张签到台、2张签到椅子
					内 53	7.6x7		
		桃花	圆桌	16人	67	9.3x7.2	2.9	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子, 茶水
荷花	圆桌	16人	67	9.3x7.2	3.2	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子		
用途	位置	名称	形式	容纳人数	面积 (M ²)	长/宽 (M)	高 (M)	配置
贵宾室	B区	菊花	沙发	10人	67	9.3x7.2	3.2	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子
		梅花	沙发	10人	67	9.3x7.2	3.2	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子
		7#	沙发	10人	56	10.6x5.3	3.4	茶水、空调、1张签到台、2张签到椅子
	C区	迎宾	红木	21人	90	8.8x10.2	3.7	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子
		四海	沙发	10人	90	8.8x10.2	3.7	茶水、空调、音响、2支麦克风、1张签到台、2张签到椅子
其他功	A区	采访接待室		/	28	/	/	仅限作为会议室1#配套使用;会议室1西北侧

能 区	B 区	休息室		/	11.6	2.8*4.1	/	会议室 17 西南侧
	B 区	新闻中心		/	75	/	/	/
	C 层	会客室		/	20	/	/	/
	B 区 A 层	B 区 VIP Lounge 接待区	沙 发	/	450	/	2.6	家具等不可移动的 设施
报 到 柜 台	A 区	序厅 4.3 米柜台		/	/	4x4.3	2.5	/
用 途	位 置	名 称	形 式	容 纳 人 数	面 积 (M ²)	长/宽 (M)	高 (M)	配 置
报 到 柜 台	A B C 区	序厅 6.5 米柜台		/	/	4x6.5	2.5	/
储 藏 室	A 区	柜台储藏 室		/	/	/	/	/